

Inclusive Jet Cross Sections in $\bar{p}p$ Collisions at $\sqrt{s}= 630$ and 1800 GeV

The DØ Collaboration *

Fermi National Accelerator Laboratory, Batavia, Illinois 60510

(February 7, 2008)

Abstract

We have made a precise measurement of the inclusive jet cross section at $\sqrt{s} = 1800$ GeV. The result is based on an integrated luminosity of 92 pb^{-1} collected at the Fermilab Tevatron $\bar{p}p$ Collider with the DØ detector. The measurement is reported as a function of jet transverse energy ($60 \text{ GeV} \leq E_T < 550 \text{ GeV}$), and in the pseudorapidity intervals $|\eta| \leq 0.5$ and $0.1 \leq |\eta| < 0.7$. A preliminary measurement of the pseudorapidity dependence of inclusive jet production ($|\eta| \leq 1.5$) is also discussed. The results are in good agreement with predictions from next-to-leading order (NLO) quantum chromodynamics (QCD). DØ has also determined the ratio of jet cross sections at $\sqrt{s} = 630$ GeV and $\sqrt{s} = 1800$ GeV ($|\eta| \leq 0.5$). This preliminary measurement differs from NLO QCD predictions.

*Submitted to the *International Europhysics Conference on High Energy Physics, EPS-HEP99*, 15 – 21 July, 1999, Tampere, Finland.

B. Abbott,⁴⁵ M. Abolins,⁴² V. Abramov,¹⁸ B.S. Acharya,¹¹ I. Adam,⁴⁴ D.L. Adams,⁵⁴
 M. Adams,²⁸ S. Ahn,²⁷ V. Akimov,¹⁶ G.A. Alves,² N. Amos,⁴¹ E.W. Anderson,³⁴
 M.M. Baarmand,⁴⁷ V.V. Babintsev,¹⁸ L. Babukhadia,²⁰ A. Baden,³⁸ B. Baldin,²⁷
 S. Banerjee,¹¹ J. Bantly,⁵¹ E. Barberis,²¹ P. Baringer,³⁵ J.F. Bartlett,²⁷ A. Belyaev,¹⁷
 S.B. Beri,⁹ I. Bertram,¹⁹ V.A. Bezzubov,¹⁸ P.C. Bhat,²⁷ V. Bhatnagar,⁹
 M. Bhattacharjee,⁴⁷ G. Blazey,²⁹ S. Blessing,²⁵ P. Bloom,²² A. Boehnlein,²⁷ N.I. Bojko,¹⁸
 F. Borcharding,²⁷ C. Boswell,²⁴ A. Brandt,²⁷ R. Breedon,²² G. Briskin,⁵¹ R. Brock,⁴²
 A. Bross,²⁷ D. Buchholz,³⁰ V.S. Burtovoi,¹⁸ J.M. Butler,³⁹ W. Carvalho,² D. Casey,⁴²
 Z. Casilum,⁴⁷ H. Castilla-Valdez,¹⁴ D. Chakraborty,⁴⁷ S.V. Chekulaev,¹⁸ W. Chen,⁴⁷
 S. Choi,¹³ S. Chopra,²⁵ B.C. Choudhary,²⁴ J.H. Christenson,²⁷ M. Chung,²⁸ D. Claes,⁴³
 A.R. Clark,²¹ W.G. Cobau,³⁸ J. Cochran,²⁴ L. Coney,³² W.E. Cooper,²⁷ D. Copping,³⁵
 C. Cretsinger,⁴⁶ D. Cullen-Vidal,⁵¹ M.A.C. Cummings,²⁹ D. Cutts,⁵¹ O.I. Dahl,²¹
 K. Davis,²⁰ K. De,⁵² K. Del Signore,⁴¹ M. Demarteau,²⁷ D. Denisov,²⁷ S.P. Denisov,¹⁸
 H.T. Diehl,²⁷ M. Diesburg,²⁷ G. Di Loreto,⁴² P. Draper,⁵² Y. Ducros,⁸ L.V. Dudko,¹⁷
 S.R. Dugad,¹¹ A. Dyshkant,¹⁸ D. Edmunds,⁴² J. Ellison,²⁴ V.D. Elvira,⁴⁷ R. Engelmann,⁴⁷
 S. Eno,³⁸ G. Eppley,⁵⁴ P. Ermolov,¹⁷ O.V. Eroshin,¹⁸ H. Evans,⁴⁴ V.N. Evdokimov,¹⁸
 T. Fahland,²³ M.K. Fatyga,⁴⁶ S. Feher,²⁷ D. Fein,²⁰ T. Ferbel,⁴⁶ H.E. Fisk,²⁷ Y. Fisyak,⁴⁸
 E. Flattum,²⁷ G.E. Forden,²⁰ M. Fortner,²⁹ K.C. Frame,⁴² S. Fuess,²⁷ E. Gallas,²⁷
 A.N. Galyaev,¹⁸ P. Gartung,²⁴ V. Gavrilov,¹⁶ T.L. Geld,⁴² R.J. Genik II,⁴² K. Genser,²⁷
 C.E. Gerber,²⁷ Y. Gershtein,⁵¹ B. Gibbard,⁴⁸ B. Gobbi,³⁰ B. Gómez,⁵ G. Gómez,³⁸
 P.I. Goncharov,¹⁸ J.L. González Solís,¹⁴ H. Gordon,⁴⁸ L.T. Goss,⁵³ K. Gounder,²⁴
 A. Goussiou,⁴⁷ N. Graf,⁴⁸ P.D. Grannis,⁴⁷ D.R. Green,²⁷ J.A. Green,³⁴ H. Greenlee,²⁷
 S. Grinstein,¹ P. Grudberg,²¹ S. Grünendahl,²⁷ G. Guglielmo,⁵⁰ J.A. Guida,²⁰
 J.M. Guida,⁵¹ A. Gupta,¹¹ S.N. Gurzhiev,¹⁸ G. Gutierrez,²⁷ P. Gutierrez,⁵⁰ N.J. Hadley,³⁸
 H. Haggerty,²⁷ S. Hagopian,²⁵ V. Hagopian,²⁵ K.S. Hahn,⁴⁶ R.E. Hall,²³ P. Hanlet,⁴⁰
 S. Hansen,²⁷ J.M. Hauptman,³⁴ C. Hays,⁴⁴ C. Hebert,³⁵ D. Hedin,²⁹ A.P. Heinson,²⁴
 U. Heintz,³⁹ R. Hernández-Montoya,¹⁴ T. Heuring,²⁵ R. Hirosky,²⁸ J.D. Hobbs,⁴⁷
 B. Hoeneisen,⁶ J.S. Hoftun,⁵¹ F. Hsieh,⁴¹ Tong Hu,³¹ A.S. Ito,²⁷ S.A. Jerger,⁴² R. Jesik,³¹
 T. Joffe-Minor,³⁰ K. Johns,²⁰ M. Johnson,²⁷ A. Jonckheere,²⁷ M. Jones,²⁶ H. Jöstlein,²⁷
 S.Y. Jun,³⁰ C.K. Jung,⁴⁷ S. Kahn,⁴⁸ D. Karmanov,¹⁷ D. Karmgard,²⁵ R. Kehoe,³²
 S.K. Kim,¹³ B. Klima,²⁷ C. Klopfenstein,²² B. Knuteson,²¹ W. Ko,²² J.M. Kohli,⁹
 D. Koltick,³³ A.V. Kostitskiy,¹⁸ J. Kotcher,⁴⁸ A.V. Kotwal,⁴⁴ A.V. Kozelov,¹⁸
 E.A. Kozlovsky,¹⁸ J. Krane,³⁴ M.R. Krishnaswamy,¹¹ S. Krzywdzinski,²⁷ M. Kubantsev,³⁶
 S. Kuleshov,¹⁶ Y. Kulik,⁴⁷ S. Kunori,³⁸ F. Landry,⁴² G. Landsberg,⁵¹ A. Leflat,¹⁷ J. Li,⁵²
 Q.Z. Li,²⁷ J.G.R. Lima,³ D. Lincoln,²⁷ S.L. Linn,²⁵ J. Linnemann,⁴² R. Lipton,²⁷
 A. Lucotte,⁴⁷ L. Lueking,²⁷ A.K.A. Maciel,²⁹ R.J. Madaras,²¹ R. Madden,²⁵
 L. Magaña-Mendoza,¹⁴ V. Manankov,¹⁷ S. Mani,²² H.S. Mao,⁴ R. Markeloff,²⁹
 T. Marshall,³¹ M.I. Martin,²⁷ R.D. Martin,²⁸ K.M. Mauritz,³⁴ B. May,³⁰ A.A. Mayorov,¹⁸
 R. McCarthy,⁴⁷ J. McDonald,²⁵ T. McKibben,²⁸ J. McKinley,⁴² T. McMahon,⁴⁹
 H.L. Melanson,²⁷ M. Merkin,¹⁷ K.W. Merritt,²⁷ C. Miao,⁵¹ H. Miettinen,⁵⁴ A. Mincer,⁴⁵
 C.S. Mishra,²⁷ N. Mokhov,²⁷ N.K. Mondal,¹¹ H.E. Montgomery,²⁷ M. Mostafa,¹
 H. da Motta,² C. Murphy,²⁸ F. Nang,²⁰ M. Narain,³⁹ V.S. Narasimham,¹¹ A. Narayanan,²⁰
 H.A. Neal,⁴¹ J.P. Negret,⁵ P. Nemethy,⁴⁵ D. Norman,⁵³ L. Oesch,⁴¹ V. Oguri,³ N. Oshima,²⁷
 D. Owen,⁴² P. Padley,⁵⁴ A. Para,²⁷ N. Parashar,⁴⁰ Y.M. Park,¹² R. Partridge,⁵¹ N. Parua,⁷
 M. Paterno,⁴⁶ B. Pawlik,¹⁵ J. Perkins,⁵² M. Peters,²⁶ R. Piegaia,¹ H. Piekarczyk,²⁵

Y. Pischalnikov,³³ B.G. Pope,⁴² H.B. Prosper,²⁵ S. Protopopescu,⁴⁸ J. Qian,⁴¹
P.Z. Quintas,²⁷ R. Raja,²⁷ S. Rajagopalan,⁴⁸ O. Ramirez,²⁸ N.W. Reay,³⁶ S. Reucroft,⁴⁰
M. Rijssenbeek,⁴⁷ T. Rockwell,⁴² M. Roco,²⁷ P. Rubinov,³⁰ R. Ruchti,³² J. Rutherford,²⁰
A. Sánchez-Hernández,¹⁴ A. Santoro,² L. Sawyer,³⁷ R.D. Schamberger,⁴⁷ H. Schellman,³⁰
J. Sculli,⁴⁵ E. Shabalina,¹⁷ C. Shaffer,²⁵ H.C. Shankar,¹¹ R.K. Shivpuri,¹⁰ D. Shpakov,⁴⁷
M. Shupe,²⁰ R.A. Sidwell,³⁶ H. Singh,²⁴ J.B. Singh,⁹ V. Sirotenko,²⁹ E. Smith,⁵⁰
R.P. Smith,²⁷ R. Snihur,³⁰ G.R. Snow,⁴³ J. Snow,⁴⁹ S. Snyder,⁴⁸ J. Solomon,²⁸
M. Sosebee,⁵² N. Sotnikova,¹⁷ M. Souza,² N.R. Stanton,³⁶ G. Steinbrück,⁵⁰
R.W. Stephens,⁵² M.L. Stevenson,²¹ F. Stichelbaut,⁴⁸ D. Stoker,²³ V. Stolin,¹⁶
D.A. Stoyanova,¹⁸ M. Strauss,⁵⁰ K. Streets,⁴⁵ M. Strovink,²¹ A. Sznajder,² P. Tamburello,³⁸
J. Tarazi,²³ M. Tartaglia,²⁷ T.L.T. Thomas,³⁰ J. Thompson,³⁸ D. Toback,³⁸ T.G. Trippe,²¹
P.M. Tuts,⁴⁴ V. Vaniev,¹⁸ N. Varelas,²⁸ E.W. Varnes,²¹ A.A. Volkov,¹⁸ A.P. Vorobiev,¹⁸
H.D. Wahl,²⁵ J. Warchol,³² G. Watts,⁵¹ M. Wayne,³² H. Weerts,⁴² A. White,⁵²
J.T. White,⁵³ J.A. Wightman,³⁴ S. Willis,²⁹ S.J. Wimpenny,²⁴ J.V.D. Wirjawan,⁵³
J. Womersley,²⁷ D.R. Wood,⁴⁰ R. Yamada,²⁷ P. Yamin,⁴⁸ T. Yasuda,²⁷ P. Yepes,⁵⁴ K. Yip,²⁷
C. Yoshikawa,²⁶ S. Youssef,²⁵ J. Yu,²⁷ Y. Yu,¹³ Z. Zhou,³⁴ Z.H. Zhu,⁴⁶ M. Zielinski,⁴⁶
D. Zieminska,³¹ A. Zieminski,³¹ V. Zutshi,⁴⁶ E.G. Zverev,¹⁷ and A. Zylberstejn⁸

(DØ Collaboration)

¹Universidad de Buenos Aires, Buenos Aires, Argentina

²LAFEX, Centro Brasileiro de Pesquisas Físicas, Rio de Janeiro, Brazil

³Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil

⁴Institute of High Energy Physics, Beijing, People's Republic of China

⁵Universidad de los Andes, Bogotá, Colombia

⁶Universidad San Francisco de Quito, Quito, Ecuador

⁷Institut des Sciences Nucléaires, IN2P3-CNRS, Université de Grenoble 1, Grenoble, France

⁸DAPNIA/Service de Physique des Particules, CEA, Saclay, France

⁹Panjab University, Chandigarh, India

¹⁰Delhi University, Delhi, India

¹¹Tata Institute of Fundamental Research, Mumbai, India

¹²Kyungshung University, Pusan, Korea

¹³Seoul National University, Seoul, Korea

¹⁴CINVESTAV, Mexico City, Mexico

¹⁵Institute of Nuclear Physics, Kraków, Poland

¹⁶Institute for Theoretical and Experimental Physics, Moscow, Russia

¹⁷Moscow State University, Moscow, Russia

¹⁸Institute for High Energy Physics, Protvino, Russia

¹⁹Lancaster University, Lancaster, United Kingdom

²⁰University of Arizona, Tucson, Arizona 85721

²¹Lawrence Berkeley National Laboratory and University of California, Berkeley, California 94720

²²University of California, Davis, California 95616

²³University of California, Irvine, California 92697

²⁴University of California, Riverside, California 92521

²⁵Florida State University, Tallahassee, Florida 32306

- ²⁶University of Hawaii, Honolulu, Hawaii 96822
- ²⁷Fermi National Accelerator Laboratory, Batavia, Illinois 60510
- ²⁸University of Illinois at Chicago, Chicago, Illinois 60607
- ²⁹Northern Illinois University, DeKalb, Illinois 60115
- ³⁰Northwestern University, Evanston, Illinois 60208
- ³¹Indiana University, Bloomington, Indiana 47405
- ³²University of Notre Dame, Notre Dame, Indiana 46556
- ³³Purdue University, West Lafayette, Indiana 47907
- ³⁴Iowa State University, Ames, Iowa 50011
- ³⁵University of Kansas, Lawrence, Kansas 66045
- ³⁶Kansas State University, Manhattan, Kansas 66506
- ³⁷Louisiana Tech University, Ruston, Louisiana 71272
- ³⁸University of Maryland, College Park, Maryland 20742
- ³⁹Boston University, Boston, Massachusetts 02215
- ⁴⁰Northeastern University, Boston, Massachusetts 02115
- ⁴¹University of Michigan, Ann Arbor, Michigan 48109
- ⁴²Michigan State University, East Lansing, Michigan 48824
- ⁴³University of Nebraska, Lincoln, Nebraska 68588
- ⁴⁴Columbia University, New York, New York 10027
- ⁴⁵New York University, New York, New York 10003
- ⁴⁶University of Rochester, Rochester, New York 14627
- ⁴⁷State University of New York, Stony Brook, New York 11794
- ⁴⁸Brookhaven National Laboratory, Upton, New York 11973
- ⁴⁹Langston University, Langston, Oklahoma 73050
- ⁵⁰University of Oklahoma, Norman, Oklahoma 73019
- ⁵¹Brown University, Providence, Rhode Island 02912
- ⁵²University of Texas, Arlington, Texas 76019
- ⁵³Texas A&M University, College Station, Texas 77843
- ⁵⁴Rice University, Houston, Texas 77005

I. INTRODUCTION

Within the framework of quantum chromodynamics (QCD), inelastic scattering between a proton and antiproton is described as a hard collision between their constituents (partons). After the collision, the outgoing partons manifest themselves as localized streams of particles or “jets”. Predictions for the inclusive jet cross section have improved in the early nineties with next-to-leading order (NLO) perturbative QCD calculations [1] and new, accurately measured parton density functions (pdf) [2].

The DØ Collaboration has recently measured and published [3] the cross section for the production of jets as a function of the jet energy transverse to the incident beams, E_T . The measurement is based on an integrated luminosity of about 92 pb^{-1} of $\bar{p}p$ hard collisions collected with the DØ Detector [4] at the Fermilab Tevatron Collider. This result allows a stringent test of QCD, with a total uncertainty substantially reduced relative to previous results [5,6]. We have also measured the ratio of jet cross sections at two center-of-mass energies: 630 (based on an integrated luminosity of about 0.537 pb^{-1}) and 1800 GeV. Experimental and theoretical uncertainties are significantly reduced in the ratio. This is due to the large correlation in the errors of the two cross section measurements, and the suppression of the sensitivity to parton distribution functions (pdf) in the prediction. The ratio of cross sections thus provides a stronger test of the matrix element portion of the calculation than a single cross section measurement alone. Previous measurements of cross section ratios have been performed with smaller data sets by the UA2 and CDF [7] experiments.

II. JET RECONSTRUCTION AND DATA SELECTION

Jets are reconstructed using an iterative jet cone algorithm with a fixed cone radius of $\mathcal{R} = 0.7$ in η - ϕ space, (pseudorapidity is defined as $\eta = -\ln[\tan\frac{\theta}{2}]$) [8]. The offline data selection procedure, which eliminates background caused by electrons, photons, noise, or cosmic rays, follows the methods described in Refs. [9,10].

III. ENERGY CORRECTIONS

The jet energy scale correction, described in [11], removes instrumentation effects associated with calorimeter response, showering, and noise, as well as the contribution from spectator partons (underlying event). The energy scale corrects jets from their reconstructed E_T to their “true” E_T on average. An unsmearing correction is applied later to remove the effect of a finite E_T resolution [3].

IV. THE INCLUSIVE JET CROSS SECTION

The resulting inclusive double differential jet cross sections, $\langle d^2\sigma/(dE_T d\eta) \rangle$, for $|\eta| \leq 0.5$ and $0.1 \leq |\eta| \leq 0.7$ (the second region for comparison to Ref. [6]), are compared with a NLO QCD theoretical prediction [1]. Discussions on the different choices in the theoretical

calculation: pdfs, renormalization and factorization scales (μ), and clustering algorithm parameter (R_{sep}) can be found in Refs. [8].

Figure 1 shows the ratios $(D - T)/T$ for the data (D) and JETRAD NLO theoretical (T) predictions based on the CTEQ3M, CTEQ4M and MRST pdf's [4,5] for $|\eta| \leq 0.5$. (The tabulated data for both $|\eta| \leq 0.5$ and $0.1 \leq |\eta| \leq 0.7$ measurements can be found in Ref. [12].)

The predictions are in good quantitative agreement with the data, as verified with a $\chi^2 = \sum_{i,j} (D_i - T_i)(C^{-1})_{ij}(D_j - T_j)$ test, which incorporates the uncertainty covariance matrix C . Here D_i and T_i represent the i -th data and theory points, respectively. The overall systematic uncertainty is largely correlated.

Table I lists χ^2 values for several JETRAD predictions using various parton distribution functions [2]. The predictions describe both the $|\eta| \leq 0.5$ and $0.1 \leq |\eta| \leq 0.7$ cross section very well. The measurement by DØ and CDF are also in good quantitative agreement within their systematic uncertainties [3].

TABLE I. χ^2 comparisons between JETRAD and $|\eta| \leq 0.5$ and $0.1 \leq |\eta| \leq 0.7$ data for $\mu = 0.5E_T^{\max}$, $R_{sep}=1.3R$, and various pdfs. There are 24 degrees of freedom.

pdf	$ \eta \leq 0.5$	$0.1 \leq \eta \leq 0.7$
CTEQ3M	23.9	28.4
CTEQ4M	17.6	23.3
CTEQ4HJ	15.7	20.5
MRSA'	20.0	27.8
MRST	17.0	19.5




FIG. 1. The difference between data and JETRAD QCD predictions normalized to predictions. The bands are the total experimental uncertainty.

V. η DEPENDENCE OF THE INCLUSIVE JET CROSS SECTION

DØ has made a preliminary measurement of the pseudorapidity dependence of the inclusive jet cross section. Figure 2 shows the ratios $(D - T)/T$ for the data (D) and JETRAD NLO theoretical (T) predictions using the CTEQ3M pdf set for $0.5 \leq |\eta| < 1.0$ and $1.0 \leq |\eta| < 1.5$. The measurements and the predictions are in good qualitative agreement. The pseudorapidity reach of this measurement is currently being extended to $\eta = 3.0$ and the detailed error analysis is being completed.




FIG. 2. Pseudorapidity dependence of the inclusive jet cross section ($0.5 \leq |\eta| < 1.0$ and $1.0 \leq |\eta| < 1.5$). Comparison between data and NLO QCD predictions. The bands are the total systematic uncertainty in the experiment.

VI. RATIO OF SCALE INVARIANT JET CROSS SECTIONS

A simple parton model would predict a jet cross section that scales with center-of-mass energy. In this scenario, $E_T^4 \cdot E \frac{d^3\sigma}{dp^3}$, plotted as a function of jet $x_T \equiv \frac{2E_T}{\sqrt{s}}$, would remain constant with respect to the center-of-mass energy. Figure 3 shows the DØ measurement of $E_T^4 \cdot E \frac{d^3\sigma}{dp^3}$ (stars) compared to JETRAD predictions (lines). There is poor agreement between data and NLO QCD calculations using the same μ in the numerator and the denominator (probability of agreement not greater than 10%). The agreement improves for predictions with different μ at the two center-of-mass energies.

In conclusion, we have made precise measurements of jet production cross sections. At $\sqrt{s}=1800$ GeV, there is good agreement between the measurements and the data. The ratio of cross sections at $\sqrt{s}=1800$ and 630 GeV, however, differs from NLO QCD predictions, unless different renormalization scales are introduced for the two center-of-mass energies.




FIG. 3. The ratio of scale invariant jet cross sections. The stars are the DØ data, the band is the systematic uncertainty, and the lines are the NLO QCD predictions.

VII. ACKNOWLEDGEMENTS

We thank the Fermilab and collaborating institution staffs for contributions to this work and acknowledge support from the Department of Energy and National Science Foundation (USA), Commissariat à L’Energie Atomique (France), Ministry for Science and Technology and Ministry for Atomic Energy (Russia), CAPES and CNPq (Brazil), Departments of Atomic Energy and Science and Education (India), Colciencias (Colombia), CONACyT (Mexico), Ministry of Education and KOSEF (Korea), and CONICET and UBACyT (Argentina).

REFERENCES

- [1] W. T. Giele, E. W. N. Glover, and D. A. Kosower, Phys. Rev. Letters **73**, 2019 (1994);
S. D. Ellis, Z. Kunszt, and D. E. Soper, Phys. Rev. Letters **64**, 2121 (1990);
F. Aversa *et al.*, Phys. Rev. Letters **65**, (1990).
- [2] H. L. Lai *et al.*, Phys. Rev. D **51**, 4763 (1995);
A. D. Martin *et al.*, Eur. Phys. J. C **4**, 463-496 (1998).
- [3] B. Abbott *et al.*, (DØ Collaboration), Phys. Rev. Letters **82**, 2451 (1999).
- [4] S. Abachi *et al.*, (DØ Collaboration), Nucl. Instrum. Methods **A338**, 185 (1994).
- [5] J. Alitti *et al.*, (UA2 Collaboration), Phys. Letters B **257**, 232 (1991); Z. Phys. C **49**,
17 (1991);
F. Abe *et al.*, (CDF Collaboration), Phys. Rev. Letters **70**, 1376 (1993).
- [6] F. Abe *et al.*, (CDF Collaboration), Phys. Rev. Letters **77**, 438 (1996).
- [7] J. Appel *et al.*, (UA2 Collaboration), Phys. Letters B **160**, 349 (1985);
F. Abe *et al.*, (CDF Collaboration), Phys. Rev. Lett. **70**, 1376 (1993).
- [8] S. Abachi *et al.*, (DØ Collaboration), Phys. Letters B **357**, 500 (1995); B. Abbott *et al.*, (DØ Collaboration), Eur. Phys. J. C **5**, 687 (1998).
- [9] D. Elvira, Ph.D. Thesis, Universidad de Buenos Aires, Buenos Aires, Argentina, 1995 (unpublished),
[HTTP://WWW-D0.FNAL.GOV/RESULTS/
PUBLICATIONS_TALKS/THESIS/THESIS.HTML](http://WWW-D0.FNAL.GOV/RESULTS/PUBLICATIONS_TALKS/THESIS/THESIS.HTML).
- [10] J. Krane, Ph.D. Thesis, University of Nebraska-Lincoln, 1998 (unpublished), [HTTP://WWW-D0.FNAL.GOV/RESULTS/ PUB-
LICATIONS_TALKS/THESIS/THESIS.HTML](http://WWW-D0.FNAL.GOV/RESULTS/PUBLICATIONS_TALKS/THESIS/THESIS.HTML).
- [11] B. Abbott *et al.*, (DØ Collaboration), Nucl. Instrum. Methods **A424**, nos. 2-3, 352-394 (1999).
- [12] Available from the AIP E-PAPS service and at
[HTTP://WWW-D0.FNAL.GOV~D0QCD/INCLUSIVE](http://WWW-D0.FNAL.GOV~D0QCD/INCLUSIVE).